Journal of Materials
Index to Volume 2
1967

Number	Month of Issue	Pages
1	March	1–236
2	June	237–458
3	September	459–700
4	December	701–974

A

Abbott, N. J.: *see* Butterworth, G. A. M., and Abbott, N. J.

Abrasion, erosion of metals by solid particles (Finnie, Wolak, and Kabil), September, 682

Activation energy, creep in potassium as a function of temperature and pressure (Kohler and Ruoff), March, 20

Adams, R. F.: *see* Tuthill, L. H., and Adams, R. F.

Adhesion, cavitation erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), September, 638

Aggregates
- basic chemistry of reactions of aggregates in portland-cement concrete (Hansen), June, 408
- how aggregate particle shape influences concrete mixing water requirements and strength (Wills), December, 843
- importance of petrographic analysis and special tests not usually required in judging quality of concrete sand (Davis, Mielenz, and Polivka), September, 461
- improved particle index test for the evaluation of geometric characteristics of aggregates (Huang), March, 81

Air entrainment, the protected paste volume concept using new air-void measurement and distribution techniques (Larson, Cady, and Malloy), March, 202

Alkali-aggregate reactions, basic chemistry of reactions of aggregates in portland-cement concrete (Hansen), June, 408

Aluminum alloys, fracture toughness of aluminum alloy plate from tension tests of large center-slotted panels (Kaufman), December, 889

Aluminum oxide
- room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics (Mehan and Feingold), June, 239
- tension testing alumina whiskers (Kelsey and Krock), March, 146

Analog simulator, for evaluating materials subjected to the standard ASTM fire curve (Krokosky), December, 801

Anday, M. C.: *see* Gardner, R. P., Anday, M. C., Roberts, K. F., and Hughes, C. S.

Asphalt
- hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), September, 581
- viscosity effects on stress-strain and volume change characteristics of asphaltic mixtures (Gandhi and Gallaway), March, 27

B

Bahramiam, B.: *see* Hughes, B. P., and Bahramiam, B.

Baker, W. O.: Solid state science and materials development, December, 915

Behun, M. F.: *see* Smith, G. V., and Behun, M. F.

Bituminous mixture, viscosity effects on stress-strain and volume change characteristics of asphaltic mixtures (Gandhi and Gallaway), March, 27

Bluhm, J. I.: The effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate, March, 227

Brass, low-temperature (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell), June, 370

Brittle fracture, the effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), June, 432

Broadwell, R. G.: *see* Hatch, A. J., Broadwell, R. G., and Partridge, J. M.

Bronze, low-temperature (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell), June, 370

Brown, C. B., and Mostaghel, N.: Modulus and strength of reinforced matrices: critical values of inclusion concentration, March, 120

Bucher, J. H.: The effect of inclusions on the brittle fracture of hot-rolled steel, June, 432

Bucher, J. H.: *see* Grozier, J. D., and Bucher, J. H.

Butterworth, G. A. M., and Abbott, N. J.: Mechanical testing of polymeric fibrous materials, September, 487

C

Cady, P. D.: *see* Larson, T. D., Cady, P. D., and Malloy, J. J.

Campbell, P. G., and Wright, J. R.: Asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy, September, 581

Carbide tools, the effect of the titanium carbide content of cemented WC-TiC

cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), September, 625
Cast iron, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), September, 625
Cavitation, erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), September, 638
Cement
analysis of drying shrinkage data for portland-cement mortar and concrete (Stockett, Schneider, and Mardulier), December, 829
basic chemistry of reactions of aggregates in portland-cement concrete (Hansen), June, 408
Cemented carbides, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), September, 625
Chamberlain, W. P. (discussion), September, 482
Chandrasekara, K.: *see* Iyengar, K. T. Sundara Raja, and Chandrasekhara, K.
Coatings, cavitation erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), September, 638
Compliance techniques, the effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate (Bluhm), March, 227
Composite materials, modulus and strength of reinforced matrices: critical values of inclusion concentration (Brown and Mostaghel), March, 120
Composition, correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), June, 393
Concrete
analysis of drying shrinkage data for portland-cement mortar and concrete (Stockett, Schneider, and Mardulier), December, 829
basic chemistry of reactions of aggregates in portland-cement concrete (Hansen), June, 408
comparison of ring-tensile strength of concrete with compressive, flexural, and splitting-tensile strengths (Malhotra and Zoldners), March, 160
direct tensile strength of concrete (Kadleček and Špetla), December, 749
how aggregate particle shape influences concrete mixing water requirements and strength (Wills), December, 843
importance of petrographic analysis and special tests not usually required in judging quality of concrete sand (Davis, Mielenz, and Polivka), September, 461
protected paste volume concept using new air-void measurement and distribution techniques (Larson, Cady, and Malloy), March, 202
workability of concrete: a comparison of existing tests (Hughes and Bahramiam), September, 519
Copper alloys, low-temperature (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell), June, 370
Cotton, an X-ray diffraction approach to accessibility of crosslinked cotton cellulose (Mitcham, Piccolo, Rowland, and O'Connor), December, 817
Crack propagation, use of crack-line-loaded specimens for measuring plane-strain fracture toughness (Mostovoy, Crosley, and Ripling), September, 661
Creep
creep in potassium as a function of temperature and pressure (Kohler and Ruoff), March, 20
creep properties of refractory metal alloys in ultrahigh vacuum (Sawyer and Steigerwald), June, 341
room-temperature creep and fatigue properties of titanium alloys (Hatch, Partridge, and Broadwell), March, 111
short-time tensile and long-time creep-rupture properties of the HF and HH alloys (VanEcho, Hoag, Roach, and Hall), December, 866
Crosby, A. B.: *see* DePuy, G. W., Crosby, A. B., and Holland, W. Y.
Crosley, P. B.: *see* Mostovoy, S., Crosley, P. B., and Ripling, E. J.
Cutting tools, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), September, 625
Cylindrical shells, analysis of cylindrical plywood roofs (Shipley and Sherrer), March, 47

D

Dale, J. M.: *see* Ludwig, A. C., and Dale, J. M.
Davis, R. E., Mielenz, R. C., and Polivka, M.: Importance of petrographic analysis and special tests not usually required in judging quality of concrete sand, September, 461
Density, a calibration model for the air-gap method of compensating nuclear density gages for soil composition variations (Gardner, Roberts, Hughes, and Anday), March, 3
DePuy, G. W., Crosby, A. B., and Holland, W. Y. (discussion), September, 483
Desayi, Prakash: *see* Viswanatha, C. S., and Desayi, Prakash
Drying, an analysis of drying shrinkage data for portland-cement mortar and concrete (Stockett, Schneider, and Mardulier), December, 829
Ductility, torsion testing as a means of assessing ductility at high temperatures (Robbins, Wagenaar, Shepard, and Sherby), June, 271

E

Eddy current testing, and ultrasonic

techniques for inspection of large parts (Musil), March, 65
Elastic energy, the effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate (Bluhm), March, 227
Elastomers, cavitation erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), September, 638
Embrittlement, the embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), September, 597
Erosion
  cavitation erosion performance and related properties of cured sheet elastomeric coating systems (Lichtman), September, 638
  erosion of metals by solid particles (Finnie, Wolak, and Kabil), September, 682
Eyring, Henry: The search for significant structures, June, 447

F

Fatigue (materials)
  correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), June, 393
  room-temperature creep and fatigue properties of titanium alloys (Hatch, Partridge, and Broadwell), March, 111
  the embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), September, 597
  use of crack-line-loaded specimens for measuring plane-strain fracture toughness (Mostovoy, Crosley, and Ripling), September, 661
Feingold, E.: *see* Mehan, R. L., and Feingold, E.
Ferrite, correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), June, 393
Fibers
  mechanical testing of polymeric fibrous materials (Butterworth and Abbott), September, 487
  room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics (Mehan and Feingold), June, 239
  tension testing alumina whiskers (Kelsey and Krock), March, 146
Filaments, mechanical testing of polymeric fibrous materials (Butterworth and Abbott), September, 487
Finnie, Iain, Wolak, Jan, and Kabil, Yehia: Erosion of metals by solid particles, September, 682
Fireproof materials, fire-retarding elemental sulfur (Ludwig and Dale), March, 131
Fire tests, an analog simulator for evaluating materials subjected to the standard ASTM fire curve (Krokosky), December, 801
Flow, the search for significant structures (Eyring), June, 447
Fracture
  effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), June, 432
  effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate (Bluhm), March, 227
  embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), September, 597
Fracture toughness
  of aluminum alloy plate from tension tests of large center-slotted panels (Kaufman), December, 889
  use of crack-line-loaded specimens for measuring plane-strain fracture toughness (Mostovoy, Crosley, and Ripling), September, 661
Frick, R. P., Gurtman, G. A., and Meriwether, H. D.: Experimental determination of residual stresses in an orthotropic material, December, 719
Frost resistance, the protected paste volume concept using new air-void measurement and distribution techniques (Larson, Cady, and Malloy), March, 202

G

Gallaway, B. M.: *see* Gandhi, P. M. K., and Gallaway, B. M.
Gandhi, P. M. K., and Gallaway, B. M.: Viscosity effects on stress-strain and volume change characteristics of asphaltic mixtures, March, 27
Gardner, R. P., Roberts, K. F., Hughes, C. S., and Anday, M. C.: A calibration model for the air-gap method of compensating nuclear density gages for soil composition variations, March, 3
Gaskets, a new method of expressing and measuring the sealing ability of gasket materials (Roth and Inbar), September, 567
Gayle, J. B., and Hopkins, C. L.: The amount of sensitivity test data required to verify nonnormality in a sample population, June, 362
Gesund, H., and Pincus, G. (discussion), March, 184
Gesund, Hans: *see* Seefried, K. J., Gesund, Hans, and Pincus, George
Grozier, J. D., and Bucher, J. H.: Correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels, June, 393
Gurtman, G. A.: *see* Frick, R. P., Gurtman, G. A., and Meriwether, H. D.

H

Hall, A. M.: *see* VanEcho, J. A., Hall, A. M., Hoag, J. G., and Roach, D. B.
Hammitt, F. G. (discussion), September, 659

Hansen, W. C.: Basic chemistry of reactions of aggregates in portland-cement concrete, June, 408
Hardening, asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), September, 581
Hatch, A. J., Partridge, J. M., and Broadwell, R. G.: Room-temperature creep and fatigue properties of titanium alloys, March, 111
High temperature
room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics (Mehan and Feingold), June, 239
torsion testing as a means of assessing ductility at high temperatures (Robbins, Wagenaar, Shepard, and Sherby), June, 271
Hoag, J. G.: *see* VanEcho, J. A., Hoag, J. G., Roach, D. B., and Hall, A. M.
Holland, W. Y.: *see* DePuy, G. W., Holland, W. Y., and Crosby, A. B.
Hopkins, C. L.: *see* Gayle, J. B., and Hopkins, C. L.
Huang, E. Y.: An improved particle index test for the evaluation of geometric characteristics of aggregates, March, 81
Hughes, B. P., and Bahramiam, B.: Workability of concrete: a comparison of existing tests, September, 519
Hughes, C. S.: *see* Gardner, R. P., Hughes, C. S., Roberts, K. F., and Anday, M. C.
Hydrospace, metals for hydrospace (Williams), December, 768

I

Inbar, A.: *see* Roth, A., and Inbar, A.
Inclusions, the effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), June, 432
Infrared spectroscopy, asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), September, 581
Inspection, eddy current and ultrasonic techniques for inspection of large parts (Musil), March, 65
Iosipescu, Nicolae: New accurate procedure for single shear testing of metals, September, 537
Ivey, D. L.: *see* Ledbetter, W. B., and Ivey, D. L.
Iyengar, K. T. Sundara Raja, and Chandrasekhara, K. (discussion), March, 187

J

James, C. F., Jr.: *see* Stanislao, J., James, C. F., Jr., and Richman, M. H.

K

Kabil, Yehia: *see* Finnie, Iain, Kabil, Yehia, and Wolak, Jan
Kadleček, Vladislav, and Špetla, Zdeněk: Direct tensile strength of concrete, December, 749
Kaufman, J. G.: Fracture toughness of aluminum alloy plate from tension tests of large center-slotted panels, December, 889
Kelsey, R. H., and Krock, R. H.: Tension testing alumina whiskers, March, 146
Klieger, Paul (discussion), March, 225
Kohler, C. R., and Ruoff, A. L.: Creep in potassium as a function of temperature and pressure, March, 20
Krock, R. H.: *see* Kelsey, R. H., and Krock, R. H.
Krokosky, E. M.: An analog simulator for evaluating materials subjected to the standard ASTM fire curve, December, 801

L

Laminates, analysis of cylindrical plywood roofs (Shipley and Sherrer), March, 47
Larson, T. D., Cady, P. D., and Malloy, J. J.: The protected paste volume concept using new air-void measurement and distribution techniques, March, 202
Leak rate, a new method of expressing and measuring the sealing ability of gasket materials (Roth and Inbar), September, 567
Ledbetter, W. B., and Ivey, D. L. (discussion), March, 185
Lehman, A. E. (discussion), September, 659
Lichtman, J. Z.: Cavitation erosion performance and related properties of cured sheet elastomeric coating systems, September, 638
Liquid phase, the search for significant structures (Eyring), June, 447
Low temperature, (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell), June, 370
Ludwig, A. C., and Dale, J. M.: Fire-retarding elemental sulfur, March, 131

M

Machining, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), September, 625
Malhotra, V. M., and Zoldners, N. G.: Comparison of ring-tensile strength of concrete with compressive, flexural, and splitting-tensile strengths, March, 160
Malloy, J. J.: *see* Larson, T. D., Malloy, J. J., and Cady, P. D.
Mardulier, F. J.: *see* Stockett, A. L., Mardulier, F. J., and Schneider, A. M.
Mechanical properties
low-temperature (295 to 4 K) mechanical properties of selected copper alloys (Reed and Mikesell), June, 370
mechanical testing of polymeric fibrous

materials (Butterworth and Abbott), September, 487
Mehan, R. L., and Feingold, E.: Room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics, June, 239
Meriwether, H. D.: *see* Frick, R. P., Meriwether, H. D., and Gurtman, G. A.
Metals
erosion of metals by solid particles (Finnie, Wolak, and Kabil), September, 682
for hydrospace (Williams), December, 768
Microstructure
correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), June, 393
the effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), June, 325
the search for significant structures (Eyring), June, 447
Mielenz, R. C.: *see* Davis, R. E., Mielenz, R. C., and Polivka, M.
Mikesell, R. P.: *see* Reed, R. P., and Mikesell, R. P.
Mineral aggregates, an improved particle index test for the evaluation of geometric characteristics of aggregates (Huang), March, 81
Mitcham, D., Piccolo, B., Rowland, S. P., and O'Connor, R. T.: An X-ray diffraction approach to accessibility of crosslinked cotton cellulose, December, 817
Modulus of elasticity, modulus and strength of reinforced matrices: critical values of inclusion concentration (Brown and Mostaghel), March, 120
Mostaghel, N.: *see* Brown, C. B., and Mostaghel, N.
Mostovoy, Sheldon, Crosley, P. B., and Ripling, E. J.: Use of crack-line-loaded specimens for measuring plane-strain fracture toughness, September, 661
Musil, F. J.: Eddy current and ultrasonic techniques for inspection of large parts, March, 65

N

Nondestructive testing, eddy current and ultrasonic techniques for inspection of large parts (Musil), March, 65
Nonlinear deformations, the effect of nonlinear Hertzian deformations and gage length on the measurement of elastic energy release rate (Bluhm), March, 227
Normal distribution, the amount of sensitivity test data required to verify nonnormality in a sample population (Gayle and Hopkins), June, 362
Notch toughness, the embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), September, 597
Nuclear gages, a calibration model for the air-gap method of compensating nuclear density gages for soil composition variations (Gardner, Roberts, Hughes, and Anday), March, 3

O

O'Connor, R. T.: *see* Mitcham, D., O'Connor, R. T., Piccolo, B., and Rowland, S. P.
Orthotropy, experimental determination of residual stresses in an orthotropic material (Frick, Gurtman, and Meriwether), December, 719
Oxidation, asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), September, 581

P

Particle index test, an improved particle index test for the evaluation of geometric characteristics of aggregates (Huang), March, 81
Particle shape, how aggregate particle shape influences concrete mixing water requirements and strength (Wills), December, 843
Partridge, J. M.: *see* Hatch, A. J., Partridge, J. M., and Broadwell, R. G.
Pearlite, correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), June, 393
Petrographic analysis, importance of petrographic analysis and special tests not usually required in judging quality of concrete sand (Davis, Mielenz, and Polivka), September, 461
Philleo, R. E. (discussion), March, 224
Philleo's spacing factor, the protected paste volume concept using new air-void measurement and distribution techniques (Larson, Cady, and Malloy), March, 202
Photoelasticity, new accurate procedure for single shear testing of metals (Iosipescu), September, 537
Piccolo, B.: *see* Mitcham, D., Piccolo, B., Rowland, S. P., and O'Connor, R. T.
Pincus, George: *see* Seefried, K. J., Pincus, George, and Gesund, Hans. *see also* Gesund, H., and Pincus, G.
Plastic flow, the search for significant structure (Eyring), June, 447
Plywood, analysis of cylindrical plywood roofs (Shipley and Sherrer), March, 47
Polarization, the search for significant structures (Eyring), June, 447
Polivka, M.: *see* Davis, R. E., Polivka, M., and Mielenz, R. C.
Polymers
mechanical testing of polymeric fibrous materials (Butterworth and Abbott), September, 487
the search for significant structures (Eyring), June, 447
Popovics, Sandor (discussion), March, 200
Potassium, creep in potassium as a function of temperature and pressure (Kohler and Ruoff), March, 20

Proportional limit, room-temperature creep and fatigue properties of titanium alloys (Hatch, Partridge, and Broadwell), March, 111

Q

Quality control, eddy current and ultrasonic techniques for inspection of large parts (Musil), March, 65
Quench aging, the effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), June, 325

R

Reaction kinetics, the search for significant structures (Eyring), June, 447
Reed, R. P., and Mikesell, R. P.: Low-temperature (295 to 4 K) mechanical properties of selected copper alloys, June, 370
Refractory metals, creep properties of refractory metal alloys in ultrahigh vacuum (Sawyer and Steigerwald), June, 341
Reinforced matrices, modulus and strength of reinforced matrices: critical values of inclusion concentration (Brown and Mostaghel), March, 120
Residual stresses, experimental determination of residual stresses in an orthotropic material (Frick, Gurtman, and Meriwether), December, 719.
Rheology, viscosity effects on stress-strain and volume change characteristics of asphaltic mixtures (Gandhi and Gallaway), March, 27
Richman, M. H.: *see* Stanislao, J., Richman, M. H., and James, C. F., Jr.
Ring-tension test, comparison of ring-tensile strength of concrete with compressive, flexural, and splitting-tensile strengths (Malhotra and Zoldners), March, 160
Ripling, E. J.: *see* Mostovoy, S., Ripling, E. J., and Crosley, P. B.
Roach, D. B.: *see* VanEcho, J. A., Roach, D. B., Hoag, J. G., and Hall, A. M.
Robbins, J. L., Wagenaar, H., Shepard, O. C., and Sherby, O. D.: Torsion testing as a means of assessing ductility at high temperatures, June, 271
Roberts, K. F.: *see* Gardner, R. P., Roberts, K. F., Hughes, C. S., and Anday, M. C.
Roofs, analysis of cylindrical plywood roofs (Shipley and Sherrer), March, 47
Roth, A., and Inbar, A.: A new method of expressing and measuring the sealing ability of gasket materials, September, 567
Rowland, S. P.: *see* Mitcham, D., Rowland, S. P., Piccolo, B., and O'Connor, R. T.
Ruoff, A. L.: *see* Kohler, C. R., and Ruoff, A. L.

S

Samples (statistical), the amount of sensitivity test data required to verify nonnormality in a sample population (Gayle and Hopkins), June, 362
Sand, importance of petrographic analysis and special tests not usually required in judging quality of concrete sand (Davis, Mielenz, and Polivka), September, 461
Sawyer, J. C., and Steigerwald, E. A.: Creep properties of refractory metal alloys in ultrahigh vacuum, June, 341
Schneider, A. M.: *see* Stockett, A. L., Schneider, A. M., and Mardulier, F. J.
Sealing, a new method of expressing and measuring the sealing ability of gasket materials (Roth and Inbar), September, 567
Seefried, K. J., Gesund, Hans, and Pincus, George: An experimental investigation of the strain distribution in the split cylinder test, December, 703
Sensitivity test data, the amount of sensitivity test data required to verify nonnormality in a sample population (Gayle and Hopkins), June, 362
Shear tests, new accurate procedure for single shear testing of metals (Iosipescu), September, 537
Shepard, O. C.: *see* Robbins, J. L., Shepard, O. C., Wagenaar, H., and Sherby, O. D.
Sherby, O. D.: *see* Robbins, J. L., Sherby, O. D., Wagenaar, H., and Shepard, O. C.
Sherrer, R. E.: *see* Shipley, S. A., and Sherrer, R. E.
Shipley, S. A., and Sherrer, R. E.: Analysis of cylindrical plywood roofs, March, 47
Shoemaker, A. K.: The embrittling effect of small elastic stress waves on crack toughness of a structural steel, September, 597
Shrinkage, an analysis of drying shrinkage data for portland-cement mortar and concrete (Stockett, Schneider, and Mardulier), December, 829
Smith, G. V., and Behun, M. F.: The effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel, June, 325
Softening point, asphalt hardening by gaseous oxidants: the relationship between softening point and chemical change as measured by infrared spectroscopy (Campbell and Wright), September, 581
Soil (material), a calibration model for the air-gap method of compensating nuclear density gages for soil composition variations (Gardner, Roberts, Hughes, and Anday), March, 3
Solid state, science and materials development (Baker), December, 915
Soltis, P. J.: A new method and techniques for tension testing whiskers, June, 300
Specific heat, the search for significant structure (Eyring), June, 447
Špetla, Zdeněk: *see* Kadleček, Vladislav, and Špetla, Zdeněk
Split cylinder test, an experimental investigation of the strain distribution in

the split cylinder test (Seefried, Gesund, and Pincus), December, 703
Stanislao, J., Richman, M. H., and James, C. F., Jr.: The effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons, September, 625
Statistical analysis, the amount of sensitivity test data required to verify nonnormality in a sample population (Gayle and Hopkins), June, 362
Steels
correlation of fatigue limit with microstructure and composition of ferrite-pearlite steels (Grozier and Bucher), June, 393
effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), June, 432
effect of titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), September, 625
effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), June, 325
embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), September, 597
Steigerwald, E. A.: *see* Sawyer, J. C., and Steigerwald, E. A.
Stern, E. G. (discussion), March, 63
Stockett, A. L., Schneider, A. M., and Mardulier, F. J.: An analysis of drying shrinkage data for portland-cement mortar and concrete, December, 829
Strain aging, the effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), June, 325
Strain distribution, an experimental investigation of the strain distribution in the split cylinder test (Seefried, Gesund, and Pincus), December, 703
Strength, modulus and strength of reinforced matrices: critical values of inclusion concentration (Brown and Mostaghel), March, 120
Stress analysis
cylindrical plywood roofs (Shipley and Sherrer), March, 47
new accurate procedure for single shear testing of metals (Iosipescu), September, 537
Stress waves, the embrittling effect of small elastic stress waves on crack toughness of a structural steel (Shoemaker), September, 597
Sulfur, fire-retarding elemental sulfur (Ludwig and Dale), March, 131

T

Tensile strength
comparison of ring-tensile strength of concrete with compressive, flexural, and splitting-tensile strengths (Malhotra and Zoldners), March, 160
direct tensile strength of concrete (Kadleček and Špetla), December, 749
Tension tests
alumina whiskers (Kelsey and Krock), March, 146
effects of quench aging, strain aging, and substructure on the tensile properties of 1020 steel (Smith and Behun), June, 325
new method and techniques for tension testing whiskers (Soltis), June, 300
Thermal conductivity, the search for significant structures (Eyring), June, 447
Thermodynamics, the search for significant structures (Eyring), June, 447
Titanium alloys, room-temperature creep and fatigue properties of titanium alloys (Hatch, Partridge, and Broadwell), March, 111
Titanium carbide, the effect of the titanium carbide content of cemented WC-TiC cutting tools in the machining of steels and cast irons (Stanislao, Richman, and James), September, 625
Torsion tests, as a means of assessing ductility at high temperatures (Robbins, Wagenaar, Shepard, and Sherby), June, 271
Toughness, the effect of inclusions on the brittle fracture of hot-rolled steel (Bucher), June, 432
Tuthill, L. H., and Adams, R. F. (discussion), September, 480

U

Ultrasonic testing, eddy current and ultrasonic techniques for inspection of large parts (Musil), March, 65

V

Vacuum, creep properties of refractory metal alloys in ultrahigh vacuum (Sawyer and Steigerwald), June, 341
VanEcho, J. A., Hoag, J. G., Roach, D. B., and Hall, A. M.: The short-time tensile and long-time creep-rupture properties of the HF and HH alloys, December, 866
Viscosity
effects on stress-strain and volume change characteristics of asphaltic mixtures (Gandhi and Gallaway), March, 27
search for significant structures (Eyring), June, 447
Viswanatha, C. S., and Desayi, Prakash (discussion), March, 188

W

Wagenaar, H.: *see* Robbins, J. L., Wagenaar, H., Shepard, O. C., and Sherby, O. D.
Ward, M. A. (discussion), March, 191
Wear, erosion of metals by solid particles (Finnie, Wolak, and Kabil), September, 682
Whiskers (metals)
new method and techniques for ten-

sion testing whiskers (Soltis), June, 300
room and elevated temperature strength of α-Al_2O_3 whiskers and their structural characteristics (Mehan and Feingold), June, 239
tension testing alumina whiskers (Kelsey and Krock), March, 146
Williams, W. Lee: Metals for hydrospace, December, 768
Wills, M. H., Jr.: How aggregate particle shape influences concrete mixing water requirements and strength, December, 843
Wolak, Jan: *see* Finnie, Iain, Wolak, Jan, and Kabil, Yehia
Workability, of concrete: a comparison of existing tests (Hughes and Bahramiam), September, 519
Wright, J. R.: *see* Campbell, P. G., and Wright, J. R.

X

X-ray diffraction, approach to accessibility of crosslinked cotton cellulose (Mitcham, Piccolo, Rowland, and O'Connor), December, 817

Z

Zoldners, N. G.: *see* Malhotra, V. M., and Zoldners, N. G.